

N EW MODEL RANGE



Powered Pallet Trucks / Powered Stackers



NEW / Noblelift Products
ARRIVAL

INTRODUCTION

The new model range of short-tiller trucks introduced by Noblift has **combined all the experience** gained by the manufacturer over past years. By using of the **most advanced solutions** and **top level components**, the new range is ready to provide the **top level of performance** to its users.

During the design stage, several **priorities** and various details were considered and verified such as improvement of the service life and **performance** of our trucks, **easy maintenance** as well as confirmation of **interchangeability** of components not only within model range, but also with other ranges of Noblift products.

The experience of Noblift shows that the use of **top brand components** from well-known suppliers not only helps to improve **reliability**, but also gain trust from our customers and put the products to a new level. That is why nearly all key components used for the model range are coming from famous brands with rich experience in material handling industry.




Powered Pallet Trucks

The model range of powered pallet trucks includes machines with capacities of **2000 kg** and **2500 kg**.

The trucks designed to be used with **high efficiency** even during their multi-shift operation. The configuration of the trucks allows you to get more powerful and productive units thanks to its **increased speed** and different options of batteries, including Lithium solutions.

You can find the versatile and **flexible** N series a handy choice for almost all your needs.



Configure the truck based on your application need

COST

Performance

PTB 20/25 N

PT 20N

PT 25N

	Q	(t)	PT 20N	PT 25N
Load Capacity / rated load	Q	(t)	2.0	2.5
Aisle width for pallets 1000X1200 lengthways	Ast	(mm)	2290 ²⁾³⁾	2395 ³⁾
Turning radius	Wa	(mm)	1585 ¹⁾²⁾³⁾	1690 ²⁾
Travel speed, laden/ unladen		km/h	7.5/8.0	6.0/7.0

*1) Load section lowered:+65mm; 2) With side battery removal: + 30 mm;
3) With compact platform: + 440 mm


Powered Stackers

The range of stackers includes the wide list of models with capacity from **1200 kg** to **2000 kg** and **lifting height up to 5500 mm**.

One of the key features of stacker range lies in the **compact design** and **structure**: who else can provide the similar configuration with the same maneuverability?

Four point structure allows to reduce the width of truck without sacrificing its stability and residual capacity. New model range of stackers can go through narrow aisles without any problem.

There is no doubt that our customers can enjoy **comfort of operation** in tight areas and improved speed on long distances with these models.



COST

Performance

PSB 12/16/20N

PS 12N

PS 16N

PS 20N

	Q	(t)	PS 12N	PS 16N	PS 20N
Load Capacity / rated load	Q	(t)	1.2	1.6	2.0
Lift height(up to)	h3+h13	(mm)	3620	5520	4620
Aisle width for pallets 800X1200 lengthways	Ast	(mm)	2250 ¹⁾	2290 ¹⁾	2420 ¹⁾
Turning radius	Wa	(mm)	1380 ¹⁾	1420 ¹⁾	1550 ¹⁾
Travel speed, laden/ unladen		km/h	7.0/8.0	6.0/7.0	6.0/7.0

*1) With compact platform: + 440 mm

Key Features



Powerful AC-drive unit from the global industry leaders: the AC driving motor designed and produced by **Schabmuller** comes together with the top quality **ZF** gearbox and it is equipped with **Intorq** electromagnetic brake. The drive unit can provide the drive speed up to **8 km/h**. The use of top level quality **drive wheels** helps to ensure the **long life time** of PU tires.



The **driving controllers and steering controllers** are manufactured by **Zapi (Italy)** - the leading European brand with long history in the industry, which provides extremely reliable and flexible solutions with high performance level of the control system.




The **driving controllers and steering controllers** are manufactured by **Zapi (Italy)** - the leading European brand with long history in the industry, which provides extremely reliable and flexible solutions with high performance level of the control system.

The **integrated design of operator's platform and protective arms** as well as totally new internal structure allows to ensure the smallest body length of the stackers and provide **extremely low turning radius** among competitors.

Together with this, the suspension system for the platform helps to provide the **high level of comfort** to operators.



POWERED PALLET TRUCKS



The use of apron with **8 mm thickness** allows to ensure the **robustness** of chassis and its **strength** even in case of collision against objects. The strong **battery cover** made out of **steel** helps to provide a high level of strength for this part.

The **German Rema tiller** delivers high level of **ergonomics** as well as **reliability** of control system. In addition, the tiller ensures a long life-time thanks to the contactless rocker switches designed for lifting/lowering function .



OPTIONS AND FLEXIBILITIES



The **option of PIN-code panel** access, which works not only with PIN-code but also with **access cards (RFID)** , can significantly simplify the procedure of access limitation for the fleet which may be used by more than one operator.

The **option of built-in charger** may help to simplify charging processes for the customers using the trucks not so intensively (without multi-shift operation connected with necessity of battery replacement)

The **option of side battery replacement** allows customers to use the truck with **multi-shift operation** and not to waste time on complicated procedure of battery replacement through the top. With help of specially designed trolley, the batteries can be replaced fast and effortlessly.



The trucks can be equipped with the **option of Aquamatic**- the system of fast refilling of distilled water in lead-acid batteries. The 2-ton pallet truck can be **optionally** equipped with the **battery under 3VBS standard**, which helps to reduce the length of the original truck and makes it more compact (the standard battery is 2PzS)

The model range can be equipped with **Lithium batteries**. The use of lithium solution from Noblift will allow you to enjoy benefits of Lithium technology such as **Fast charging, Opportunity charging, Maintenance free, Environmental-friendly, Smart Diagnosis of battery status, Lower cost of Total Ownership with long service life.**



POWERED STACKERS



The optional feature of **proportional hydraulic control** realized with help of solution from the top leading manufacturer of hydraulic solutions **HPI** allows to ensure precise positioning of forks during lifting and lowering as well as to provide smooth acceleration/deceleration of forks and gentle handling of fragile goods.

*For PS xx N only





Official website



Our Wechat

Noblelift Headquarters

Add:#528 Changzhou Road, Taihu
Sub-district, Changxing, 313100, China
TEL:+86 572 6210311/6120989
FAX:+86 572 6210777
WEB:www.noblelift.com
Email: info@noblelift.com

Noblelift North America Corp.

Add:2461 S Wolf Road, Des Plaines, IL 60018
Tel:847-595-7100
Fax:847-595-7200
Email:ussales@noblelift.com
Http:www.noblelift.us

Noblelift Europe GmbH

Add:Borsigstrasse 9d-93092 Barbing
Germany
TEL:+49 9401 607930
FAX:+49 9401 6079329
WEB:www.noblelifteuopr.com
Email: mail@noblelifteurope.com

Noblelift Russia

ООО "Ноблелифт Рус"
194292, Санкт-Петербург
Домостроительная ул. 4А офис 301
Бизнес-центр "Парнас"
тел.: +7 (800) 700-28-97
Email: sales@noblelift.com.ru

